

Surveillance Report

Items: STANDARD INDIGENT KIT

Printed: 07/21/2022 08:52:06AM
Start Date: 07/21/2021 12:00:00AM
End Date: 07/21/2022 11:59:59PM

Facility: OAKLAND MI COMMISSARY

STANDARD INDIGENT KIT

	OCJL D D 302 001	STANDARD INDIGENT KIT	3
	OCJL N1 N1 14 001	STANDARD INDIGENT KIT	11
	ANEX E1 E1 E2 001	STANDARD INDIGENT KIT	1
	OCJL B B 4A 008	STANDARD INDIGENT KIT	9
		STANDARD INDIGENT KIT	21
	OCJL B B 1B 002	STANDARD INDIGENT KIT	4
	ANEX F2 F2 F5 001	STANDARD INDIGENT KIT	2
	ANEX G1 G1 G21 001	STANDARD INDIGENT KIT	5
	ANEX F1 F1 F7 001	STANDARD INDIGENT KIT	1
	ANEX G1 G1 G6 002	STANDARD INDIGENT KIT	1
	ANEX F1 F1 F6 002	STANDARD INDIGENT KIT	3
	OCJL N2 N2 08 001	STANDARD INDIGENT KIT	4
	OCJL A A 4B 008	STANDARD INDIGENT KIT	1
	ANEX G1 G1 G31 002	STANDARD INDIGENT KIT	1
	OCJL B B 4B 004	STANDARD INDIGENT KIT	1
	OCJL R R R7 001	STANDARD INDIGENT KIT	1
	ANEX H1 H1 H4 002	STANDARD INDIGENT KIT	1
	ANEX E1 E1 E20 001	STANDARD INDIGENT KIT	1
	OCJL I I R2 002	STANDARD INDIGENT KIT	2
	ANEX G1 G1 G10 002	STANDARD INDIGENT KIT	0
	ANEX H1 H1 H9 002	STANDARD INDIGENT KIT	1
	ANEX H1 H1 H1 001	STANDARD INDIGENT KIT	1
	OCJL A A 5B 006	STANDARD INDIGENT KIT	5
	OCJL D D 304 001	STANDARD INDIGENT KIT	6
	ANEX G1 G1 G3 001	STANDARD INDIGENT KIT	0
	ANEX H1 H1 H13 001	STANDARD INDIGENT KIT	2
	ANEX G2 G2 G6 002	STANDARD INDIGENT KIT	1
	OCJL C C 1C 003	STANDARD INDIGENT KIT	1
	ANEX F1 F1 F5 001	STANDARD INDIGENT KIT	12
	ANEX F1 F1 F8 002	STANDARD INDIGENT KIT	1
	ANEX H1 H1 H6 001	STANDARD INDIGENT KIT	1
	ANEX E1 E1 E19 001	STANDARD INDIGENT KIT	1
	ANEX H2 H2 H18 001	STANDARD INDIGENT KIT	1
	ANEX G1 G1 G2 001	STANDARD INDIGENT KIT	3
	ANEX F2 F2 F7 001	STANDARD INDIGENT KIT	1
	ANEX F2 F2 F6 001	STANDARD INDIGENT KIT	2
	OCJL D D 305 001	STANDARD INDIGENT KIT	12
	ANEX F1 F1 F4 002	STANDARD INDIGENT KIT	2
	ANEX E1 E1 E24 001	STANDARD INDIGENT KIT	3
	ANEX F1 F1 F30 002	STANDARD INDIGENT KIT	1
	ANEX H2 H2 H23 001	STANDARD INDIGENT KIT	1
	ANEX G1 G1 G11 002	STANDARD INDIGENT KIT	2
	ANEX G2 G2 G1 001	STANDARD INDIGENT KIT	2
	OCJL D D 306 001	STANDARD INDIGENT KIT	1
	ANEX F1 F1 F17 001	STANDARD INDIGENT KIT	1
	OCJL B B 205 001	STANDARD INDIGENT KIT	8
	ANEX H2 H2 H32 002	STANDARD INDIGENT KIT	1
	ANEX F1 F1 F10 001	STANDARD INDIGENT KIT	2
	OCJL C C 1C 005	STANDARD INDIGENT KIT	1
	ANEX E2 E2 E15 001	STANDARD INDIGENT KIT	3
	OCJL R R R3 002	STANDARD INDIGENT KIT	1
	OCJL N1 N1 24 001	STANDARD INDIGENT KIT	1
	OCJL C C 303 001	STANDARD INDIGENT KIT	7
	ANEX F2 F2 F5 002	STANDARD INDIGENT KIT	1
	ANEX F2 F2 F26 002	STANDARD INDIGENT KIT	3

Surveillance Report

Printed: 07/21/2022 08:52:07AM
Start Date: 07/21/2021 12:00:00AM
End Date: 07/21/2022 11:59:59PM

Items: STANDARD INDIGENT KIT

ANEX H2 H2 H25 002	STANDARD INDIGENT KIT	1
OCJL I I C4 001	STANDARD INDIGENT KIT	1
ANEX F1 F1 F10 001	STANDARD INDIGENT KIT	5
ANEX H2 H2 H13 001	STANDARD INDIGENT KIT	1
OCJL C C 5B 006	STANDARD INDIGENT KIT	1
ANEX F1 F1 F12 001	STANDARD INDIGENT KIT	1
ANEX H1 H1 H31 001	STANDARD INDIGENT KIT	1
ANEX F1 F1 F9 002	STANDARD INDIGENT KIT	1
ANEX G1 G1 G2 001	STANDARD INDIGENT KIT	7
OCJL C C 4B 001	STANDARD INDIGENT KIT	2
OCJL I I R2 005	STANDARD INDIGENT KIT	2
ANEX G2 G2 G11 002	STANDARD INDIGENT KIT	1
ANEX H1 H1 H1 002	STANDARD INDIGENT KIT	9
ANEX H1 H1 H27 002	STANDARD INDIGENT KIT	1
OCJL A A 1B 003	STANDARD INDIGENT KIT	1
OCJL K K 22 001	STANDARD INDIGENT KIT	5
ANEX H1 H1 H19 002	STANDARD INDIGENT KIT	1
ANEX F2 F2 F7 002	STANDARD INDIGENT KIT	1
ANEX F1 F1 F20 001	STANDARD INDIGENT KIT	1
ANEX F1 F1 F15 001	STANDARD INDIGENT KIT	1
ANEX F2 F2 F14 001	STANDARD INDIGENT KIT	4
OCJL I I C8 001	STANDARD INDIGENT KIT	5
OCJL B B 308 001	STANDARD INDIGENT KIT	1
ANEX F1 F1 F26 002	STANDARD INDIGENT KIT	1
ANEX F2 F2 F17 002	STANDARD INDIGENT KIT	1
ANEX F1 F1 F22 001	STANDARD INDIGENT KIT	4
OCJL B B 5A 004	STANDARD INDIGENT KIT	1
OCJL A A 1B 002	STANDARD INDIGENT KIT	1
ANEX E1 E1 E15 002	STANDARD INDIGENT KIT	3
ANEX F2 F2 F27 002	STANDARD INDIGENT KIT	3
ANEX E1 E1 E26 001	STANDARD INDIGENT KIT	1
ANEX E2 ANEX-E2-	STANDARD INDIGENT KIT	1
OCJL A A 1B 005	STANDARD INDIGENT KIT	3
ANEX E1 E1 E9 001	STANDARD INDIGENT KIT	1
ANEX G1 G1 G29 001	STANDARD INDIGENT KIT	4
OCJL E E 3 007	STANDARD INDIGENT KIT	2
ANEX H1 H1 H1 001	STANDARD INDIGENT KIT	5
ANEX E1 E1 E26 002	STANDARD INDIGENT KIT	1
ANEX H2 H2 H14 002	STANDARD INDIGENT KIT	1
ANEX E1 E1 E8 001	STANDARD INDIGENT KIT	1
OCJL C C 5A 004	STANDARD INDIGENT KIT	6
OCJL C C 5A 003	STANDARD INDIGENT KIT	3
	STANDARD INDIGENT KIT	0
ANEX H2 H2 H25 001	STANDARD INDIGENT KIT	2
ANEX G1 G1 G12 002	STANDARD INDIGENT KIT	2
ANEX F2 F2 F11 001	STANDARD INDIGENT KIT	1
OCJL A A 1B 010	STANDARD INDIGENT KIT	4
ANEX F1 F1 F16 002	STANDARD INDIGENT KIT	7
ANEX E2 E2 E5 001	STANDARD INDIGENT KIT	5
ANEX H1 H1 H27 001	STANDARD INDIGENT KIT	1
OCJL B B 4A 007	STANDARD INDIGENT KIT	10
ANEX F1 F1 F15 001	STANDARD INDIGENT KIT	6
	STANDARD INDIGENT KIT	0
ANEX F1 F1 F4 002	STANDARD INDIGENT KIT	1
ANEX H1 H1 H5 001	STANDARD INDIGENT KIT	0
ANEX F1 F1 F15 001	STANDARD INDIGENT KIT	1
ANEX G1 G1 G11 001	STANDARD INDIGENT KIT	1
ANEX E2 E2 E3 001	STANDARD INDIGENT KIT	0

Surveillance Report

Printed: 07/21/2022 08:52:07AM
Start Date: 07/21/2021 12:00:00AM
End Date: 07/21/2022 11:59:59PM

Items: STANDARD INDIGENT KIT

ANEX F2 F2 F13 001	STANDARD INDIGENT KIT	1
OCJL D D 5A 003	STANDARD INDIGENT KIT	13
OCJL B B 310 001	STANDARD INDIGENT KIT	1
ANEX H2 H2 H10 001	STANDARD INDIGENT KIT	2
ANEX F1 F1 F13 001	STANDARD INDIGENT KIT	1
OCJL A A 208 001	STANDARD INDIGENT KIT	1
ANEX G2 G2 G2 001	STANDARD INDIGENT KIT	4
ANEX G1 G1 G20 002	STANDARD INDIGENT KIT	2
ANEX G1 G1 G6 001	STANDARD INDIGENT KIT	1
OCJL A A 4C 006	STANDARD INDIGENT KIT	1
ANEX F1 F1 F24 001	STANDARD INDIGENT KIT	1
ANEX F1 F1 F30 001	STANDARD INDIGENT KIT	1
OCJL C C 308 001	STANDARD INDIGENT KIT	1
OCJL B B 205 001	STANDARD INDIGENT KIT	1
ANEX F1 F1 F5 002	STANDARD INDIGENT KIT	2
OCJL R R R1 007	STANDARD INDIGENT KIT	1
OCJL D D 302 001	STANDARD INDIGENT KIT	2
OCJL C C 4B 007	STANDARD INDIGENT KIT	24
OCJL A A 1C 003	STANDARD INDIGENT KIT	1
ANEX G1 G1 G2 002	STANDARD INDIGENT KIT	2
ANEX E1 E1 E10 001	STANDARD INDIGENT KIT	1
OCJL C C 1A 003	STANDARD INDIGENT KIT	1
OCJL R R R3 001	STANDARD INDIGENT KIT	1
ANEX F2 F2 F30 001	STANDARD INDIGENT KIT	1
ANEX F2 F2 F16 002	STANDARD INDIGENT KIT	1
ANEX H1 H1 H26 001	STANDARD INDIGENT KIT	1
ANEX H2 H2 H19 001	STANDARD INDIGENT KIT	1
OCJL D D 1B 002	STANDARD INDIGENT KIT	1
ANEX F2 F2 F19 002	STANDARD INDIGENT KIT	1
ANEX H2 H2 H16 002	STANDARD INDIGENT KIT	1
OCJL I I L4 010	STANDARD INDIGENT KIT	3
OCJL B B 5B 001	STANDARD INDIGENT KIT	7
OCJL C C 309 001	STANDARD INDIGENT KIT	1
OCJL A A 1A 001	STANDARD INDIGENT KIT	3
OCJL B B 309 001	STANDARD INDIGENT KIT	2
OCJL D D 205 001	STANDARD INDIGENT KIT	16
ANEX G2 G2 G6 001	STANDARD INDIGENT KIT	3
OCJL R R R1 001	STANDARD INDIGENT KIT	2
ANEX F2 F2 F9 001	STANDARD INDIGENT KIT	1
OCJL W W 1 009	STANDARD INDIGENT KIT	2
ANEX F1 F1 F18 001	STANDARD INDIGENT KIT	1
ANEX F2 F2 F26 001	STANDARD INDIGENT KIT	1
ANEX G1 G1 G32 001	STANDARD INDIGENT KIT	1
ANEX F1 F1 F17 002	STANDARD INDIGENT KIT	1
OCJL I I R2 002	STANDARD INDIGENT KIT	4
ANEX E2 E2 E13 001	STANDARD INDIGENT KIT	1
ANEX E1 E1 E16 001	STANDARD INDIGENT KIT	1
OCJL B B 4B 002	STANDARD INDIGENT KIT	16
ANEX F1 F1 F13 001	STANDARD INDIGENT KIT	1
ANEX E1 E1 E12 001	STANDARD INDIGENT KIT	2
OCJL B B 1A 002	STANDARD INDIGENT KIT	1
ANEX E2 E2 E1 002	STANDARD INDIGENT KIT	1
ANEX F2 F2 F13 002	STANDARD INDIGENT KIT	1
ANEX F2 F2 F14 001	STANDARD INDIGENT KIT	0
ANEX H1 H1 H15 001	STANDARD INDIGENT KIT	0
OCJL B B 4A 001	STANDARD INDIGENT KIT	4
OCJL R R R5 004	STANDARD INDIGENT KIT	1
ANEX F1 F1 F18 001	STANDARD INDIGENT KIT	2

Surveillance Report

Printed: 07/21/2022 08:52:07AM
Start Date: 07/21/2021 12:00:00AM
End Date: 07/21/2022 11:59:59PM

Items: STANDARD INDIGENT KIT

OCJL C C 4A 008	STANDARD INDIGENT KIT	1
ANEX F2 F2 F16 002	STANDARD INDIGENT KIT	1
ANEX H2 H2 H9 002	STANDARD INDIGENT KIT	1
ANEX E2 E2 E8 001	STANDARD INDIGENT KIT	1
OCJL A A 210 001	STANDARD INDIGENT KIT	1
OCJL D D 5C 003	STANDARD INDIGENT KIT	1
OCJL W W 2 007	STANDARD INDIGENT KIT	1
ANEX H1 H1 H11 001	STANDARD INDIGENT KIT	1
ANEX H2 H2 H14 002	STANDARD INDIGENT KIT	1
OCJL I I R3 005	STANDARD INDIGENT KIT	1
OCJL C C 5C 004	STANDARD INDIGENT KIT	6
OCJL I I C2 001	STANDARD INDIGENT KIT	3
OCJL C C 4A 001	STANDARD INDIGENT KIT	7
ANEX G1 G1 G6 001	STANDARD INDIGENT KIT	1
ANEX H1 H1 H6 002	STANDARD INDIGENT KIT	2
ANEX F2 F2 F6 002	STANDARD INDIGENT KIT	1
OCJL E E 2 003	STANDARD INDIGENT KIT	4
OCJL A A 1B 009	STANDARD INDIGENT KIT	4
OCJL B B 1A 008	STANDARD INDIGENT KIT	7
OCJL B B 1B 001	STANDARD INDIGENT KIT	3
ANEX F2 F2 F25 001	STANDARD INDIGENT KIT	1
OCJL A A 305 001	STANDARD INDIGENT KIT	6
ANEX F1 F1 F15 002	STANDARD INDIGENT KIT	2
OCJL B B 4A 006	STANDARD INDIGENT KIT	1
OCJL B B 4B 005	STANDARD INDIGENT KIT	4
ANEX H1 H1 H3 001	STANDARD INDIGENT KIT	1
ANEX F2 F2 F22 002	STANDARD INDIGENT KIT	1
ANEX G1 G1 G4 002	STANDARD INDIGENT KIT	3
OCJL R R R4 002	STANDARD INDIGENT KIT	1
ANEX G1 G1 G8 001	STANDARD INDIGENT KIT	1
OCJL I I R4 005	STANDARD INDIGENT KIT	1
ANEX F2 F2 F27 001	STANDARD INDIGENT KIT	1
OCJL A A 205 001	STANDARD INDIGENT KIT	4
ANEX F2 F2 F24 001	STANDARD INDIGENT KIT	2
OCJL B B 5A 001	STANDARD INDIGENT KIT	0
OCJL B B 4A 002	STANDARD INDIGENT KIT	3
ANEX E1 E1 E13 002	STANDARD INDIGENT KIT	3
ANEX G1 G1 G5 002	STANDARD INDIGENT KIT	3
ANEX H2 H2 H10 001	STANDARD INDIGENT KIT	2
OCJL I I L2 009	STANDARD INDIGENT KIT	2
ANEX G2 G2 G3 002	STANDARD INDIGENT KIT	3
ANEX F2 F2 F1 002	STANDARD INDIGENT KIT	1
ANEX E2 E2 E9 002	STANDARD INDIGENT KIT	1
ANEX G2 G2 G9 002	STANDARD INDIGENT KIT	1
ANEX G2 G2 G27 001	STANDARD INDIGENT KIT	1
OCJL B B 4C 010	STANDARD INDIGENT KIT	1
ANEX H1 H1 H23 001	STANDARD INDIGENT KIT	1
ANEX H2 H2 H25 002	STANDARD INDIGENT KIT	3
ANEX F2 F2 F10 001	STANDARD INDIGENT KIT	6
ANEX E1 E1 E25 001	STANDARD INDIGENT KIT	1
ANEX H2 H2 H31 001	STANDARD INDIGENT KIT	1
ANEX G1 G1 G5 001	STANDARD INDIGENT KIT	1
OCJL W W 2 008	STANDARD INDIGENT KIT	2
OCJL A A 210 001	STANDARD INDIGENT KIT	6
OCJL C C 1C 003	STANDARD INDIGENT KIT	1
OCJL C C 1C 006	STANDARD INDIGENT KIT	16
ANEX F2 F2 F6 001	STANDARD INDIGENT KIT	2
ANEX E1 E1 E28 001	STANDARD INDIGENT KIT	1

Surveillance Report

Printed: 07/21/2022 08:52:07AM
Start Date: 07/21/2021 12:00:00AM
End Date: 07/21/2022 11:59:59PM

Items: STANDARD INDIGENT KIT

OCJL I I L2 005	STANDARD INDIGENT KIT	1
ANEX G1 G1 G8 001	STANDARD INDIGENT KIT	5
ANEX G1 G1 G4 002	STANDARD INDIGENT KIT	2
OCJL B B 5A 007	STANDARD INDIGENT KIT	1
ANEX G1 G1 G18 002	STANDARD INDIGENT KIT	1
OCJL C C 4B 001	STANDARD INDIGENT KIT	2
OCJL R R R2 001	STANDARD INDIGENT KIT	1
ANEX F2 F2 F15 001	STANDARD INDIGENT KIT	1
ANEX H2 H2 H23 002	STANDARD INDIGENT KIT	1
ANEX F2 F2 F15 001	STANDARD INDIGENT KIT	2
ANEX E1 E1 E11 001	STANDARD INDIGENT KIT	6
ANEX H1 H1 H12 002	STANDARD INDIGENT KIT	1
OCJL A A 4B 009	STANDARD INDIGENT KIT	3
ANEX H2 H2 H27 001	STANDARD INDIGENT KIT	1
ANEX F2 F2 F14 001	STANDARD INDIGENT KIT	1
ANEX E2 E2 E2 001	STANDARD INDIGENT KIT	1
ANEX F1 F1 F9 001	STANDARD INDIGENT KIT	1
ANEX F2 F2 F18 001	STANDARD INDIGENT KIT	1
ANEX E2 E2 E9 001	STANDARD INDIGENT KIT	3
ANEX G1 G1 G12 002	STANDARD INDIGENT KIT	11
ANEX F1 F1 F9 001	STANDARD INDIGENT KIT	1
OCJL D D 5B 001	STANDARD INDIGENT KIT	1
ANEX F2 F2 F21 001	STANDARD INDIGENT KIT	2
ANEX G2 G2 G13 001	STANDARD INDIGENT KIT	1
	STANDARD INDIGENT KIT	0
ANEX F2 F2 F5 002	STANDARD INDIGENT KIT	1
OCJL A A 211 001	STANDARD INDIGENT KIT	2
ANEX F1 F1 F23 002	STANDARD INDIGENT KIT	1
ANEX E1 E1 E8 001	STANDARD INDIGENT KIT	1
ANEX H2 H2 H11 001	STANDARD INDIGENT KIT	1
ANEX G1 G1 G21 002	STANDARD INDIGENT KIT	3
OCJL A A 302 001	STANDARD INDIGENT KIT	1
ANEX H1 H1 H12 001	STANDARD INDIGENT KIT	1
OCJL A A 4A 006	STANDARD INDIGENT KIT	1
ANEX F1 F1 F9 002	STANDARD INDIGENT KIT	1
OCJL B B 5A 007	STANDARD INDIGENT KIT	2
OCJL B B 205 001	STANDARD INDIGENT KIT	5
ANEX F2 F2 F5 002	STANDARD INDIGENT KIT	2
OCJL B B 5A 005	STANDARD INDIGENT KIT	9
ANEX H1 H1 H24 001	STANDARD INDIGENT KIT	1
ANEX G1 G1 G2 001	STANDARD INDIGENT KIT	3
ANEX H1 H1 H16 002	STANDARD INDIGENT KIT	1
ANEX E1 E1 E8 002	STANDARD INDIGENT KIT	12
ANEX H2 H2 H21 001	STANDARD INDIGENT KIT	1
OCJL W W 1 005	STANDARD INDIGENT KIT	0
OCJL A A 5A 004	STANDARD INDIGENT KIT	2
OCJL B B 4B 003	STANDARD INDIGENT KIT	2
ANEX F2 F2 F13 002	STANDARD INDIGENT KIT	1
OCJL D D 4C 009	STANDARD INDIGENT KIT	1
ANEX E1 E1 E15 001	STANDARD INDIGENT KIT	11
OCJL A A 309 001	STANDARD INDIGENT KIT	1
ANEX E2 E2 E16 002	STANDARD INDIGENT KIT	2
ANEX E2 E2 E16 002	STANDARD INDIGENT KIT	2
ANEX G2 G2 G19 001	STANDARD INDIGENT KIT	1
OCJL D D 4A 008	STANDARD INDIGENT KIT	2
ANEX G1 G1 G12 001	STANDARD INDIGENT KIT	1
OCJL B B 4B 007	STANDARD INDIGENT KIT	2
OCJL E E 1 005	STANDARD INDIGENT KIT	1

Surveillance Report

Printed: 07/21/2022 08:52:07AM
Start Date: 07/21/2021 12:00:00AM
End Date: 07/21/2022 11:59:59PM

Items: STANDARD INDIGENT KIT

ANEX G1 G1 G3 001	STANDARD INDIGENT KIT	3
ANEX F1 F1 F25 001	STANDARD INDIGENT KIT	1
ANEX F1 F1 F1 002	STANDARD INDIGENT KIT	1
ANEX F1 F1 F24 002	STANDARD INDIGENT KIT	1
OCJL W W 1 007	STANDARD INDIGENT KIT	1
ANEX H1 H1 H23 001	STANDARD INDIGENT KIT	1
ANEX H2 H2 H27 001	STANDARD INDIGENT KIT	1
ANEX E1 E1 E24 002	STANDARD INDIGENT KIT	2
OCJL B B 4B 003	STANDARD INDIGENT KIT	1
ANEX F1 F1 F3 002	STANDARD INDIGENT KIT	3
ANEX F1 F1 F21 001	STANDARD INDIGENT KIT	4
OCJL D D 1C 010	STANDARD INDIGENT KIT	4
ANEX F2 F2 F29 002	STANDARD INDIGENT KIT	1
OCJL C C 5B 006	STANDARD INDIGENT KIT	1
ANEX F2 F2 F16 002	STANDARD INDIGENT KIT	1
ANEX H2 H2 H3 001	STANDARD INDIGENT KIT	2
OCJL I I C2 001	STANDARD INDIGENT KIT	1
OCJL J J J5 001	STANDARD INDIGENT KIT	0
ANEX H1 H1 H15 001	STANDARD INDIGENT KIT	2
OCJL C C 306 001	STANDARD INDIGENT KIT	7
ANEX F2 F2 F11 002	STANDARD INDIGENT KIT	1
ANEX H1 H1 H15 002	STANDARD INDIGENT KIT	1
ANEX G2 G2 G26 002	STANDARD INDIGENT KIT	1
ANEX F1 F1 F19 001	STANDARD INDIGENT KIT	1
ANEX E2 E2 E1 002	STANDARD INDIGENT KIT	1
ANEX H1 H1 H20 001	STANDARD INDIGENT KIT	1
OCJL B B 306 001	STANDARD INDIGENT KIT	3
ANEX F1 F1 F3 001	STANDARD INDIGENT KIT	1
OCJL D D 1A 003	STANDARD INDIGENT KIT	23
ANEX H1 H1 H13 002	STANDARD INDIGENT KIT	1
ANEX F2 F2 F28 002	STANDARD INDIGENT KIT	1
OCJL D D 4A 007	STANDARD INDIGENT KIT	3
ANEX H2 H2 H1 001	STANDARD INDIGENT KIT	1
ANEX H2 H2 H6 001	STANDARD INDIGENT KIT	0
ANEX G2 G2 G27 002	STANDARD INDIGENT KIT	1
ANEX G2 G2 G3 001	STANDARD INDIGENT KIT	1
ANEX F2 F2 F5 001	STANDARD INDIGENT KIT	1
ANEX H2 H2 H13 002	STANDARD INDIGENT KIT	1
ANEX F2 F2 F18 002	STANDARD INDIGENT KIT	1
OCJL B B 4B 010	STANDARD INDIGENT KIT	3
ANEX F1 F1 F12 002	STANDARD INDIGENT KIT	3
ANEX H2 H2 H8 001	STANDARD INDIGENT KIT	3
ANEX G2 G2 G8 002	STANDARD INDIGENT KIT	1
OCJL C C 4B 002	STANDARD INDIGENT KIT	10
OCJL B B 5A 003	STANDARD INDIGENT KIT	4
ANEX E2 E2 E2 002	STANDARD INDIGENT KIT	2
OCJL C C 4B 003	STANDARD INDIGENT KIT	4
OCJL R R R3 001	STANDARD INDIGENT KIT	4
OCJL A A 5B 003	STANDARD INDIGENT KIT	1
ANEX H2 H2 H25 001	STANDARD INDIGENT KIT	1
OCJL I I R4 009	STANDARD INDIGENT KIT	2
OCJL D D 1C 004	STANDARD INDIGENT KIT	1
ANEX F2 F2 F10 002	STANDARD INDIGENT KIT	1
OCJL R R R3 003	STANDARD INDIGENT KIT	2
ANEX F1 F1 F8 002	STANDARD INDIGENT KIT	8
OCJL B B 4A 010	STANDARD INDIGENT KIT	2
OCJL I I C8 001	STANDARD INDIGENT KIT	2
OCJL E E 1 002	STANDARD INDIGENT KIT	4

Surveillance Report

Printed: 07/21/2022 08:52:07AM
Start Date: 07/21/2021 12:00:00AM
End Date: 07/21/2022 11:59:59PM

Items: STANDARD INDIGENT KIT

Total For STANDARD INDIGENT KIT:	863
Total For OAKLAND MI COMMISSARY:	863
Report Total Items:	863